

Assessment of Scope 1 Carbon Footprint in Higher Education: A Case Study of Addis Ababa Science and Technology University


Walelign Melese^{1*}, Robel Abebe¹

¹Department of Environmental Engineering, Addis Ababa Science and Technology University, Addis Ababa, Ethiopia

*Corresponding author: hanielcj1234@gmail.com

Supervisors: Ms. Mihret Elias, Mr. Solomon Tibebe
Department of Environmental Engineering, Addis Ababa Science and Technology University

Graphical Abstract



Assessment of Scope 1 Carbon Footprint in Higher Education: A Case Study of Addis Ababa Science and Technology University

Walegn Melese^{1*}, Robel Abebe¹

¹Department of Environmental Engineering, Addis Ababa Science and Technology University, Addis Ababa, Ethiopia

*Corresponding author: hanielcj1234@gmail.com

Abstract

This research estimates the Scope 1 carbon footprint (CFP) of Addis Ababa Science and Technology University (AASTU), a higher education institution with 8,000 students, using the Greenhouse Gas (GHG) Protocol. The study focuses exclusively on direct emissions from sources owned or controlled by the university, excluding Scope 2 (purchased electricity from Ethiopia's predominantly renewable grid) and Scope 3 (indirect emissions) due to data constraints. The total annual Scope 1 CFP was calculated as 1,136 tons of CO₂e, with transportation (55%), emergency generators (24.4%), and student cafeteria cooking (20.6%) as primary sources. Compared to similar institutions, AASTU's CFP is relatively low due to institutional characteristics and Ethiopia's renewable energy context. Future projections based on geometric progression indicate a potential increase to 1,464 tons of CO₂e within ten years. Two mitigation strategies were evaluated: afforestation with 58,562 eucalyptus trees over 23.42 hectares for carbon sequestration, and replacement of diesel vehicles with electric vehicles. A comprehensive cost-benefit analysis adjusted for Ethiopia's inflation rate was conducted, with afforestation costs estimated at 3,251,417.6 ETB (plug seedlings) or 670,807.8 ETB (field-grown seedlings), and vehicle electrification requiring a net investment of 3,430,000 ETB. The study establishes a Scope 1 emissions baseline and provides actionable recommendations for achieving carbon neutrality in higher education institutions.

Keywords: Scope 1 Carbon Footprint; GHG Protocol; Climate Change Mitigation; Carbon Sequestration; Higher Education; Sustainability; Ethiopia.

1.0 Introduction

Climate change represents one of the most significant global challenges of the 21st century, with far-reaching implications for ecological systems, human health, and economic stability [1]. The increasing concentration of greenhouse gases (GHGs) in the atmosphere, primarily driven by anthropogenic activities, has led to unprecedented changes in global climate patterns, including rising temperatures, extreme weather events, and sea-level rise. In response to this crisis, there is growing recognition of the need for comprehensive action across all sectors of society, including higher education institutions (HEIs) which serve as both centers of knowledge production and significant contributors to environmental impacts [8].

Higher Education Institutions play a dual role in climate change mitigation: as operational entities with substantial resource consumption and as educational institutions with the responsibility to model sustainable practices [17]. With campuses often functioning as small cities, HEIs consume significant amounts of energy, generate waste, and maintain transportation systems that collectively contribute to greenhouse gas emissions. Quanti-

ifying these emissions through carbon footprint assessment represents a critical first step toward developing effective mitigation strategies and achieving sustainability goals [15]. The concept of carbon footprint, derived from the broader ecological footprint framework developed by [19], provides a specific metric for assessing an organization's contribution to climate change through GHG emissions. For universities, conducting carbon footprint assessments enables the identification of major emission sources, establishes baseline data for tracking progress, and informs strategic planning for emissions reduction [2]. These assessments typically follow the GHG Protocol framework, which categorizes emissions into three scopes: Scope 1 (direct emissions), Scope 2 (indirect emissions from purchased energy), and Scope 3 (other indirect emissions) [20].

1.1 Literature Review

Research on university carbon footprints has gained significant momentum globally over the past two decades. Studies from various regions have employed different methodologies and scopes. In North America, comprehensive assessments often include all three scopes [7, 4], while in Europe, the focus varies by country and institutional capacity [18]. In developing regions, studies frequently focus on Scope 1 emissions due to data constraints and methodological challenges [10].

In Africa, limited research exists on institutional carbon footprints, with notable exceptions from South Africa [16], Kenya [10], and Nigeria [11]. These studies consistently identify transportation, energy consumption, and waste management as major emission sources. However, methodological approaches vary significantly, with some studies employing full life cycle assessments while others focus on specific emission sources.

This study addresses several gaps in the existing literature. First, it provides the first comprehensive assessment of a major Ethiopian university's carbon footprint. Second, it contextualizes the findings within Ethiopia's unique energy landscape, where the national grid is predominantly renewable. Third, it offers practical, locally-relevant mitigation strategies with detailed cost-benefit analyses.

This study focuses on Addis Ababa Science and Technology University (AASTU), a rapidly growing public university in Ethiopia established in 2011. With a current enrollment of approximately 8,000 students and ambitious expansion plans, AASTU represents an important case study for examining carbon management in the context of Ethiopian higher education. This research provides a foundational assessment of AASTU's Scope 1 emissions, establishing a baseline for future sustainability initiatives and contributing to the growing body of literature on carbon management in African higher education institutions.

2.0 Materials and Methods

2.1 Study Area and Scope




Figure 1: Map of Addis Ababa showing the study area in Akaki-Kaliti sub-city and the AASTU campus detail (Coordinates: 8.8852°N, 38.8098°E).

The study was conducted at the main campus of Addis Ababa Science and Technology University (AASTU), located at coordinates 8.8852°N, 38.8098°E in the Akaki Kaliti suburb of Addis Ababa, Ethiopia. Established in 2011, AASTU has rapidly grown to become one of Ethiopia's leading institutions for science and technology education, with a current student population of approximately 8,000 and plans for further expansion. The assessment scope focused exclusively on Scope 1 emissions as defined by the GHG Protocol [20]. This scope selection was based on three methodological considerations: (1) **Scope 2 Exclusion Justification:** Ethiopia's national electricity grid is predominantly renewable, with hydropower accounting for approximately 92% of generation, wind power for 7%, and geothermal for less than 1% [13]. Following the GHG Protocol methodology, Scope 2 emissions from purchased electricity were excluded because Ethiopia's grid emission factor approaches zero. (2) **Scope 3 Exclusion Justification:** Scope 3 emissions were excluded due to significant data collection challenges, time constraints, and

budget limitations. (3) **Methodological Focus:** This study prioritizes establishing a robust baseline for Scope 1 emissions, aligning with recommendations for initial carbon footprint assessments in resource-constrained settings [12].

The operational boundaries included three major emission sources: university-owned transportation fleet, emergency electric generators, and cooking activities in student cafeterias. The temporal scope covered the 2022–2023 academic year.

2.2 Data Collection Methods

Primary data collection employed multiple approaches: (1) Institutional records review for fuel purchase records, maintenance logs, and vehicle usage reports; (2) Direct measurement of biomass consumption in student cafeterias; (3) Surveys and interviews with facility managers, transportation coordinators, and cafeteria staff; (4) Document analysis of institutional policies and sustainability reports. Secondary data included emission factors from IPCC EFDB and Ethiopia-specific environmental statistics.

2.3 Analytical Framework

The study employed the Greenhouse Gas Protocol as the primary analytical framework [20]. The fundamental calculation equation was:

$$E = AD \times EF \quad (1)$$

where E represents total emissions, AD is activity data, and EF is the emission factor.

2.3.1 Transportation Sector Calculations

$$E_{\text{transport}} = FC \times EF_{\text{fuel}} \times GWP \quad (2)$$

where FC is fuel consumption in liters, EF_{fuel} is the fuel-specific emission factor from IPCC (2019), and GWP is the Global Warming Potential.

$$E_{\text{transport}} = DT \times FE \times EF_{\text{fuel}} \quad (3)$$

where DT is distance traveled (km) and FE is fuel efficiency (L/km).

2.3.2 Emergency Generator Calculations

$$E_{\text{generator}} = FC_{\text{diesel}} \times EF_{\text{diesel}} \times \text{Operating Hours} \quad (4)$$

2.3.3 Cooking Emissions Calculations

$$E_{\text{cooking}} = BM_{\text{consumed}} \times EF_{\text{biomass}} \quad (5)$$

2.4 Mitigation Strategy Analysis

2.4.1 Afforestation for Carbon Sequestration

$$N_{\text{trees}} = \frac{E_{\text{total}}}{S_{\text{tree}}} \quad (6)$$

$$A_{\text{land}} = \frac{N_{\text{trees}}}{D_{\text{planting}}} \quad (7)$$

2.4.2 Vehicle Electrification

Net cost analysis following standard financial methods [5]:

$$\text{Net Cost} = C_{\text{purchase}} - R_{\text{sale}} + \sum_{t=1}^n \frac{(O_{\text{diesel}} - O_{\text{electric}})}{(1+r)^t} \quad (8)$$

2.5 Data Analysis and Projection

$$E_t = E_0 \times (1+r)^t \quad (9)$$

Growth rate assumptions were based on historical trends at AASTU. All financial analyses were adjusted for inflation using Ethiopia's historical rates.

3.0 Results

3.1 Current Carbon Footprint Composition

The comprehensive assessment revealed that AASTU's total annual Scope 1 carbon footprint is 1,136 tons of CO₂e (Table 2). The transportation sector emerged as the largest contributor at 55%.

Table 1: Emission factors used in carbon footprint calculation

Fuel/Source	Emission Factor	Unit	GWP	Source
Diesel (Transport)	2.68	kg CO ₂ e/L	–	IPCC (2019)
Diesel (Stationary)	2.68	kg CO ₂ e/L	–	IPCC (2019)
Biomass (Wood)	1747.2	kg CO ₂ e/ton	–	IPCC (2019)
CH ₄	–	–	28	IPCC (2014)
N ₂ O	–	–	265	IPCC (2014)

Table 2: AASTU's annual Scope 1 carbon footprint by emission source

Emission Source	Emissions (tCO ₂ e)	Percentage	GHGP Scope
University Vehicle Fleet	624.8	55.0%	Scope 1
Emergency Generators	277.2	24.4%	Scope 1
Student Cafeteria Cooking	234.0	20.6%	Scope 1
Total Scope 1 Emissions	1,136.0	100.0%	

3.2 Comparative Analysis

AASTU demonstrates relatively low emissions per capita (0.12 tCO₂e/person) compared to international benchmarks (Table 3).

3.3 Future Emission Projections

Based on geometric progression models (2% growth for transport and energy, 5% for cooking), emissions were projected to increase 30.3% over ten years, reaching approximately 1,481 tons CO₂e by 2033 (Table 4).

Table 3: Comparative Scope 1 carbon footprint analysis

University	Country	Scope 1 (tCO ₂ e)	CFP/Capita
AASTU	Ethiopia	1,136	0.12
University of Haripur	Pakistan	578.9	0.14
University of Nairobi	Kenya	15,240	0.38
University of Cape Town	South Africa	45,320	0.57
Clemson University	USA	27	0.01
University of Cambridge	UK	17,388	1.74

Table 4: 10-year Scope 1 carbon footprint projection

Year	Transport (tCO ₂ e)	Energy (tCO ₂ e)	Cooking (tCO ₂ e)	Total (tCO ₂ e)
2023 (Baseline)	624.8	277.2	234.0	1,136.0
2024	637.3	282.7	245.7	1,165.7
2025	650.1	288.4	258.0	1,196.5
2026	663.1	294.1	270.9	1,228.1
2027	676.4	300.0	284.4	1,260.8
2028	689.9	306.0	298.6	1,294.5
2029	703.7	312.1	313.6	1,329.4
2030	717.8	318.4	329.2	1,365.4
2031	732.1	324.8	345.7	1,402.6
2032	746.8	331.3	363.0	1,441.1
2033	761.7	337.9	381.1	1,480.7

3.4 Mitigation Strategy Requirements

3.4.1 Afforestation

To sequester baseline emissions of 1,136 tCO₂e requires 58,562 *Eucalyptus globulus* trees over 23.42 hectares (Table 5).

Table 5: Afforestation requirements for emission sequestration

Time Period	Emissions (tCO ₂ e)	Trees Required	Land (ha)
Current Year	1,136	45,450	18.18
Next 5 Years	1,283	51,307	20.52
Next 10 Years	1,464	58,562	23.42

3.4.2 Vehicle Electrification

Replacing six high-usage vehicles: net investment 3,430,000 ETB; payback period 2.3 years (Table 6).

3.5 Cost Analysis

Afforestation: plug seedlings 3,251,418 ETB total 10-year cost; field-grown seedlings 670,808 ETB (Table 7). Integrating both strategies would reduce emissions by approximately 55% immediately through vehicle electrification while establishing long-term carbon neutrality through afforestation.

4.0 Discussion

The dominance of transportation emissions (55%) at AASTU aligns with patterns observed in many university carbon footprint studies in developing countries [10, 11], though

Table 6: Vehicle electrification cost-benefit analysis

Parameter	Diesel Fleet	Electric Fleet	Net Difference
Number of Vehicles	6	6	–
Purchase Cost (ETB)	–	29,000,000	–
Sale Revenue (ETB)	25,770,000	–	–
Annual Fuel Cost (ETB)	1,560,000	468,000	–1,092,000
Annual Maintenance (ETB)	312,000	156,000	–156,000
Payback Period (years)	–	–	2.3
Net Investment Required (ETB)	–	–	3,430,000

Table 7: Afforestation cost analysis (inflation-adjusted)

Cost Component	Plug Seedlings (ETB)	Field-Grown (ETB)
Initial Planting (Year 1)	1,431,675	295,425
Annual Planting (Years 2–10)	1,819,743	375,383
Total 10-Year Cost	3,251,418	670,808
Annual Average Cost	325,142	67,081

the magnitude differs based on institutional characteristics [18]. The relatively low per capita emissions at AASTU compared to international benchmarks reflect both challenges and opportunities for maintaining low-emission growth as the institution expands [4].

The methodological approach demonstrates the applicability of the GHG Protocol in African university contexts [12]. The exclusive focus on Scope 1 emissions represents a practical approach for initial assessments in resource-constrained settings [21]. The choice of *Eucalyptus globulus* for afforestation warrants careful consideration of ecological impacts [9, 3]; future iterations should consider mixed-species plantings for biodiversity [14, 6].

The vehicle electrification strategy presents a compelling opportunity given Ethiopia’s growing interest in electric mobility. The 2.3-year payback period is comparable to similar analyses [5]. The significant cost difference between seedling types (3.2M vs. 0.67M ETB) highlights the importance of careful cultivation method selection.

5.0 Conclusions

This study provides the first comprehensive assessment of the Scope 1 carbon footprint of Addis Ababa Science and Technology University, establishing a baseline of 1,136 tons of CO₂e annually with transportation as the dominant emission source. The projected increase to 1,464 tons CO₂e over ten years underscores the urgency of implementing mitigation measures. The evaluated strategies—afforestation and vehicle electrification—offer practical, cost-effective pathways toward carbon neutrality. However, the exclusive focus on eucalyptus should be reconsidered in favor of more ecologically diverse approaches. Future research should expand to Scope 3 emissions and develop institution-specific emission factors. Implementation of the proposed mitigation measures would position AASTU as a leader in campus sustainability in Ethiopia.

Declarations

Author contribution statement. Walelign Melese: Conceptualization, methodology development, data collection, formal analysis, writing—original draft preparation, project administration. Robel Abebe: Methodology development, data collection, validation, visualization, writing—review and editing. Both authors have read and agreed to the published version of the manuscript.

Consent and Ethical Approval. Not applicable. This study used institutional records, surveys, and direct measurements; no human subjects research requiring ethical approval was conducted.

Competing Interests. Authors have declared that they have no known competing financial interests or non-financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements. The authors express sincere gratitude to Ms. Mihret Elias and Mr. Solomon Tibebe for their supervision and guidance throughout this research. Appreciation is extended to the AASTU administration for facilitating data access, and to colleagues in the Department of Environmental Engineering for their support and constructive feedback.

Funding. This research received no external funding. The study was conducted as part of academic requirements for the Bachelor of Science in Environmental Engineering program at Addis Ababa Science and Technology University.

Supplementary Material. Supplementary materials including detailed calculation worksheets, emission factor sources, comparative data tables, and sensitivity analysis results are available from the corresponding author upon reasonable request.

References

- [1] Abbass, K., Qasim, M. Z., Song, H., Murshed, M., Mahmood, H., & Younis, I. (2022). A review of the global climate change impacts, adaptation, and sustainable mitigation measures. *Environmental Science and Pollution Research*, 29(28), 42539–42559.
- [2] Awanthi, M. G. G., & Navaratne, C. M. (2018). Carbon footprint of an organization: A tool for monitoring impacts on global warming. *Procedia Engineering*, 212, 729–735.
- [3] Bahru, T., Eshete, N., & Woldemariam, Z. (2023). Effect of spacing on survival and growth performance of *Eucalyptus grandis* at Holeta Research Site, Central Ethiopia. *International Journal of Forestry Research*, 2023, 9957776.
- [4] Clabeaux, R., Carbajales-Dale, M., Ladner, D., & Walker, T. (2020). Assessing the carbon footprint of a university campus using a life cycle assessment approach. *Journal of Cleaner Production*, 273, 122600.
- [5] Gómez, N., Cadarso, M. A., & Monsalve, F. (2016). Carbon footprint of a university in a multiregional model: The case of the University of Castilla-La Mancha. *Journal of Cleaner Production*, 138, 119–130.
- [6] Jagger, P., & Kittner, N. (2017). Deforestation and biomass fuel dynamics in Uganda. *Biomass and Bioenergy*, 105, 1–9.
- [7] Klein-Banai, C., Theis, T. L., Brecheisen, T. A., & Banai, A. (2010). A greenhouse gas inventory as a measure of sustainability for an urban public research university. *Environmental Practice*, 12(1), 35–47.
- [8] Leal Filho, W., Manolas, E., & Pace, P. (2015). The future we want: Key issues on sustainable development in higher education after Rio and the UN decade of education for sustainable development. *International Journal of Sustainability in Higher Education*, 16(1), 112–129.
- [9] Morales, M. M., Tonini, H., Behling, M., & Hoshide, A. K. (2023). Eucalyptus carbon stock research in an integrated livestock-forestry system in Brazil. *Sustainability*, 15(10), 7750.
- [10] Mwangi, J. K., & Maranga, V. K. (2018). Carbon footprint of higher education institutions: A case study of Kenyatta University, Kenya. *International Journal of Environmental Sciences*, 7(2), 1–12.
- [11] Oladokun, O. (2017). Carbon footprint estimation in higher educational institutions: A tool for environmental sustainability. *Journal of Cleaner Production*, 167, 1501–1512.
- [12] Paredes-Canencio, K. N., Lasso, A., Castrillon, R., Vidal-Medina, J. R., & Quispe, E. C. (2024). Carbon footprint of higher education institutions. *Environment, Development and Sustainability*.
- [13] Sani, H., & Tibebe, A. (2016). Addis Ababa GHG Emissions Inventory Report for 2016. Ethiopian Environmental Protection Authority.
- [14] Seddon, N., Chausson, A., Berry, P., Girardin, C. A., Smith, A., & Turner, B. (2020). Understanding the value and limits of nature-based solutions to climate change and other global challenges. *Philosophical Transactions of the Royal Society B*, 375(1794), 20190120.
- [15] Seymour, R. (2008). Understanding the global warming discussion: Climate change as a context for developing standards-based research skills in secondary school students. Dominican University of California.

- [16] Thapelo, C. M. L., Mungwe, N. W., Guma, M., & Marquard, A. (2011). Carbon footprint of the University of Cape Town. *Journal of Energy in Southern Africa*, 22(2), 2–12.
- [17] Tilbury, D. (2011). Higher education for sustainability: A global overview of commitment and progress. *Higher Education in the World*, 4, 18–28.
- [18] Valls-Val, K., & Bovea, M. D. (2021). Carbon footprint in higher education institutions: A literature review and prospects for future research. *Clean Technologies and Environmental Policy*, 23(9), 2523–2542.
- [19] Wackernagel, M., & Rees, W. E. (1996). *Our ecological footprint: Reducing human impact on the earth*. New Society Publishers.
- [20] World Resources Institute. (2015). *The Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard* (Revised Edition). World Resources Institute.
- [21] Yáñez, P., Sinha, A., & Vásquez, M. (2019). Carbon footprint estimation in a university campus: Evaluation and insights. *Sustainability*, 12(1), 181.
- [22] IPCC. (2014). *Climate Change 2014: Synthesis Report*. Contribution of Working Groups I, II and III to the Fifth Assessment Report. Geneva, Switzerland.
- [23] IPCC. (2019). *2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories*. Intergovernmental Panel on Climate Change.
- [24] US EPA. (2022). *Greenhouse Gas Emissions from a Typical Passenger Vehicle*. United States Environmental Protection Agency.